
Central Valley Regional Water Quality Control Board

PREPARATION OF NOTICE OF APPLICABILITY

In-situ Groundwater Remediation and Discharge of Treated Groundwater to Land

TO ALL INTERESTED AGENCIES, GROUPS, AND PERSONS:

This will serve as notice that the Regional Water Quality Control Board, Central Valley Region (Central Valley Regional Board) has prepared a Notice of Applicability for coverage under General Order No. R5-2015-0012, In-Situ Groundwater Remediation and Discharge of Treated Groundwater to Land.

Project Title: Former Goss-Jewett Facility, 4301 Power Inn Road, Sacramento, Sacramento County

Project Location: 4301 Power Inn Road, Sacramento, Sacramento County

Project Description: The Central Valley Water Board proposes to issue a Notice of Applicability to allow Former Goss-Jewett Facility to be covered under General Order No. R5-2015-0012 for in-situ remediation of groundwater at the Former Goss-Jewett Facility (Site). The project consists of injection of potassium permanganate at the Site. Under the Notice of Applicability and General Order, the project proponent is required to monitor the impacts on groundwater. The goal is to remove tetrachloroethene (PCE) from groundwater. In-situ injections at other sites have demonstrated that potassium permanganate is effective at removing PCE.

The draft Notice of Applicability and Monitoring and Reporting Program are available for public examination at the Central Valley Regional Board at 11020 Sun Center Drive, Suite 200, Rancho Cordova, California, Monday through Friday between the hours of 8:00 a.m. to 4:30 p.m., as well as on the Central Valley Regional Board website at <http://waterboards.ca.gov/centralvalley>. Under the tab Board Decisions, click on Tentative Orders, Discharger-Specific Orders for Future Regional Board Meetings, then scroll to Sacramento County for Former Goss-Jewett Facility.

All interested agencies, groups and persons wishing to respond to the draft Notice of Applicability are invited to submit written comments to 11020 Sun Center Drive, Suite 200, Rancho Cordova, California, 95670-6114, or provide email comments to aimee.phiri@waterboards.ca.gov for consideration by the Central Valley Regional Board on or before **30 days from distribution date**. For more information, please call Aimee Phiri at (916) 464-4746 or contact her by e-mail at aimee.phiri@waterboards.ca.gov.